



Medical/Surgical Skills Checklist

This profile helps us place you in an assignment suited to your skill level and expertise. This checklist is intended for Medical/Surgical nurses with (1) or more year of experience in their discipline and specialty.

First Name: _____ Last Name: _____

Date: _____ S.S. Number: _____

Please indicate your current level of experience. There are no right/wrong answers.

- 1.) No Experience, Theory Only
- 2.) Limited Experience
- 3.) Moderate Experience
- 4.) Experienced and Competent (1-2 years)
- 5.) Experienced; Able to Teach (2 + years)

I. CARDIOVASCULAR

1. Assessment

- a. Auscultation (rate and rhythm) 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- b. Blood Pressure 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- c. Use of Doppler 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- d. Heart sounds/murmurs 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- e. Pulses/circulation checks 1 ○ 2 ○ 3 ○ 4 ○ 5 ○

2. Telemetry

- a. Basic 12 lead interpretation 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- b. Placement of leads 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- c. Arrhythmia interpretation 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- d. Pacemaker 1 ○ 2 ○ 3 ○ 4 ○ 5 ○

3. Care of Patient with:

- a. Aneurysm 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- b. Angina 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- c. Angioplasty Pre/Post 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- d. Abdominal Aortic bypass 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- e. Arteriosclerosis 1 ○ 2 ○ 3 ○ 4 ○ 5 ○

f. Cardiac arrest	1 ○	2 ○	3 ○	4 ○	5 ○
g. Cardiac Cath Pre/Post	1 ○	2 ○	3 ○	4 ○	5 ○
h. Cardiomyopathy	1 ○	2 ○	3 ○	4 ○	5 ○
i. Carotid endarterectomy	1 ○	2 ○	3 ○	4 ○	5 ○
j. Congestive heart failure	1 ○	2 ○	3 ○	4 ○	5 ○
k. Femoral-popliteal bypass	1 ○	2 ○	3 ○	4 ○	5 ○
l. Myocarditis	1 ○	2 ○	3 ○	4 ○	5 ○
m. Myocardial infarction	1 ○	2 ○	3 ○	4 ○	5 ○
n. Open heart	1 ○	2 ○	3 ○	4 ○	5 ○
o. Post acute MI (24-48 hrs)	1 ○	2 ○	3 ○	4 ○	5 ○
p. Post cardiac surgery	1 ○	2 ○	3 ○	4 ○	5 ○
q. Thrombophlebitis	1 ○	2 ○	3 ○	4 ○	5 ○
r. Transplant	1 ○	2 ○	3 ○	4 ○	5 ○
s. Vascular surgery	1 ○	2 ○	3 ○	4 ○	5 ○

II. GASTROINTESTINAL

1. Assessment					
a. Abdomen/bowel sounds	1 ○	2 ○	3 ○	4 ○	5 ○
b. Fluid balance	1 ○	2 ○	3 ○	4 ○	5 ○
c. Nutritional	1 ○	2 ○	3 ○	4 ○	5 ○
2. Administration of tube feeding					
a. Feeding pump	1 ○	2 ○	3 ○	4 ○	5 ○
b. Gravity feeding	1 ○	2 ○	3 ○	4 ○	5 ○
c. Saline lavage	1 ○	2 ○	3 ○	4 ○	5 ○
3. Management of :					
a. Gastrostomy tube	1 ○	2 ○	3 ○	4 ○	5 ○
b. Jejunostomy tube	1 ○	2 ○	3 ○	4 ○	5 ○
c. T-tube	1 ○	2 ○	3 ○	4 ○	5 ○
d. Placement of nasogastric tube	1 ○	2 ○	3 ○	4 ○	5 ○
e. NG tube irrigation	1 ○	2 ○	3 ○	4 ○	5 ○
f. NG tube maintenance	1 ○	2 ○	3 ○	4 ○	5 ○
g. Salem sump to suction	1 ○	2 ○	3 ○	4 ○	5 ○
4. Care of patient with:					
a. Bowel obstruction	1 ○	2 ○	3 ○	4 ○	5 ○
b. Colostomy	1 ○	2 ○	3 ○	4 ○	5 ○
c. GI bleed	1 ○	2 ○	3 ○	4 ○	5 ○

- d. Hepatitis 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- e. IBD 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- f. Invasive diagnostic testing 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- g. Liver failure 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- h. Paralytic ileus 1 ○ 2 ○ 3 ○ 4 ○ 5 ○

III. PULMONARY

1. Assessment
 - a. Breath sounds 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - b. Rate and work of breathing 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
2. Interpretation of labs
 - a. Blood chemistry 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - b. Blood gases 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
3. Airway management devices
 - a. ET tube/suctioning 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - b. Nasal airway/suctioning 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - c. Oropharyngeal/suctioning 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - d. Tracheostomy/suctioning 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - e. Assist with intubation 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - f. Assist with thoracentesis 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - g. Care of pt. on a ventilator 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - h. Care of pt. with chest tubes 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - i. Emptying chest tubes 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - j. Removal of chest tubes 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - k. Chest physiotherapy 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - l. Incentive spirometry 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
4. Oxygen therapy and medication delivery
 - a. Bag and mask 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - b. External CPAP 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - c. Face mask 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - d. Inhalers 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - e. Nasal cannula 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - f. Portable oxygen tanks 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - g. Use of pulse oximetry 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
5. Care of patient with:
 - a. Bronchoscopy 1 ○ 2 ○ 3 ○ 4 ○ 5 ○

b. COPD	1 ○	2 ○	3 ○	4 ○	5 ○
c. Fresh tracheostomy	1 ○	2 ○	3 ○	4 ○	5 ○
d. Lobectomy	1 ○	2 ○	3 ○	4 ○	5 ○
e. Pneumonectomy	1 ○	2 ○	3 ○	4 ○	5 ○
f. Pneumonia	1 ○	2 ○	3 ○	4 ○	5 ○
g. PE	1 ○	2 ○	3 ○	4 ○	5 ○
h. Thoracotomy	1 ○	2 ○	3 ○	4 ○	5 ○
i. Tuberculosis	1 ○	2 ○	3 ○	4 ○	5 ○

IV. INTRAVENOUS THERAPY

a. Antibiotics	1 ○	2 ○	3 ○	4 ○	5 ○
b. CVP Line Measurement	1 ○	2 ○	3 ○	4 ○	5 ○
c. Mixing	1 ○	2 ○	3 ○	4 ○	5 ○
d. Piggybacking	1 ○	2 ○	3 ○	4 ○	5 ○
e. Use of infusion pumps	1 ○	2 ○	3 ○	4 ○	5 ○
f. Use of multiple lumen catheters	1 ○	2 ○	3 ○	4 ○	5 ○
g. Use of PCA/CADD pumps	1 ○	2 ○	3 ○	4 ○	5 ○
1. Blood					
a. Albumin	1 ○	2 ○	3 ○	4 ○	5 ○
b. Packed	1 ○	2 ○	3 ○	4 ○	5 ○
c. Plasma	1 ○	2 ○	3 ○	4 ○	5 ○
d. Platelets	1 ○	2 ○	3 ○	4 ○	5 ○
e. Whole	1 ○	2 ○	3 ○	4 ○	5 ○
2. Blood Draws:					
a. Venipuncture	1 ○	2 ○	3 ○	4 ○	5 ○
b. Central	1 ○	2 ○	3 ○	4 ○	5 ○
3. Discontinuing:					
a. Central	1 ○	2 ○	3 ○	4 ○	5 ○
b. Peripheral	1 ○	2 ○	3 ○	4 ○	5 ○
4. Flushing:					
a. Central	1 ○	2 ○	3 ○	4 ○	5 ○
b. Peripheral	1 ○	2 ○	3 ○	4 ○	5 ○

V. IV ADMINISTRATION

a. Central	1 ○	2 ○	3 ○	4 ○	5 ○
b. Chemotherapy	1 ○	2 ○	3 ○	4 ○	5 ○
c. Implanted	1 ○	2 ○	3 ○	4 ○	5 ○

- d. Peripheral 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- e. TPN 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- f. Heparin Drip 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- g. Intralipids 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- h. IVP antihypertensives 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- 1. Insertion of:
 - a. Angio cath 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - b. Butterfly 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - c. Heparin lock 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - d. Intr cath 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- 2. PICC Line Insertion:
 - a. Adult 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - b. Pediatric 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- 3. Site Care:
 - a. Central (Hickman/Broviac) 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - b. Peripheral 1 ○ 2 ○ 3 ○ 4 ○ 5 ○

VI. MEDICATION ADMINISTRATION

- a. Documentation on MAR 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- b. Dose calculation 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- c. Unit dose 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- d. Verification of narc. waste 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- 1. Medication Administration via:
 - a. Oral 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - b. Parenteral 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - c. Intradermal 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - d. Intramuscular 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - e. Intravenous 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - f. Heparin lock 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - g. Hickman Catheter 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - h. Z-Track 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - i. Subcutaneous 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - j. Rectal 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - k. Sublingual 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - l. Topical 1 ○ 2 ○ 3 ○ 4 ○ 5 ○

VII. NEUROLOGICAL

1. Assessment

- a. Glasgow coma scale 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- b. Level of consciousness 1 ○ 2 ○ 3 ○ 4 ○ 5 ○

2. Procedures

- a. Assist with lumbar puncture 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- b. Use of hyper/hypothermia blanket 1 ○ 2 ○ 3 ○ 4 ○ 5 ○

3. Care of patient with:

- a. Aneurysm precautions 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- b. Closed head injury 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- c. Coma 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- d. CVA 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- e. CNS infection 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- f. DT's 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- g. Encephalitis 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- h. Neuromuscular disease 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- i. Post craniotomy 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- j. Seizures 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- k. Spinal cord injury 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- l. Administration of anticonvulsants 1 ○ 2 ○ 3 ○ 4 ○ 5 ○

VIII. RENAL

1. Assessment

- a. AV shunt/fistula 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- b. Fluid balance 1 ○ 2 ○ 3 ○ 4 ○ 5 ○

2. Interpretation of labs

- a. BUN and creatinine 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- b. Electrolytes 1 ○ 2 ○ 3 ○ 4 ○ 5 ○

3. Procedures

1. Insertion of straight and foley catheter

- a. Female 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- b. Male 1 ○ 2 ○ 3 ○ 4 ○ 5 ○

2. Catheter care

- a. 3-way foley 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- b. Supra-pubic 1 ○ 2 ○ 3 ○ 4 ○ 5 ○

3. Bladder irrigations					
a. Continuous	1 ○	2 ○	3 ○	4 ○	5 ○
b. intermittent	1 ○	2 ○	3 ○	4 ○	5 ○
4. Specimen collection					
a. Routine	1 ○	2 ○	3 ○	4 ○	5 ○
b. 24 hour	1 ○	2 ○	3 ○	4 ○	5 ○
4. Care of patients with:					
a. Cystostomy	1 ○	2 ○	3 ○	4 ○	5 ○
b. Hemodialysis	1 ○	2 ○	3 ○	4 ○	5 ○
c. Nephrectomy/Nephrostomy	1 ○	2 ○	3 ○	4 ○	5 ○
d. Peritoneal dialysis	1 ○	2 ○	3 ○	4 ○	5 ○
e. Renal failure	1 ○	2 ○	3 ○	4 ○	5 ○
f. Renal surgery	1 ○	2 ○	3 ○	4 ○	5 ○
g. Renal transplant	1 ○	2 ○	3 ○	4 ○	5 ○
h. TURP	1 ○	2 ○	3 ○	4 ○	5 ○
i. Ileal conduit nephrostomy	1 ○	2 ○	3 ○	4 ○	5 ○
j. UTI	1 ○	2 ○	3 ○	4 ○	5 ○

IX. ORTHOPEDICS

1. Assessment					
a. Circulation checks	1 ○	2 ○	3 ○	4 ○	5 ○
b. Gait	1 ○	2 ○	3 ○	4 ○	5 ○
c. Range of motion	1 ○	2 ○	3 ○	4 ○	5 ○
d. Skin	1 ○	2 ○	3 ○	4 ○	5 ○
2. Procedures:					
a. CPM	1 ○	2 ○	3 ○	4 ○	5 ○
b. Cane	1 ○	2 ○	3 ○	4 ○	5 ○
c. Cervical collar	1 ○	2 ○	3 ○	4 ○	5 ○
d. Gait belt	1 ○	2 ○	3 ○	4 ○	5 ○
e. Prosthetic	1 ○	2 ○	3 ○	4 ○	5 ○
f. Sling	1 ○	2 ○	3 ○	4 ○	5 ○
g. Walker	1 ○	2 ○	3 ○	4 ○	5 ○
h. Wheelchair	1 ○	2 ○	3 ○	4 ○	5 ○
3. Care of patient with:					
a. Amputation	1 ○	2 ○	3 ○	4 ○	5 ○

b. Cast	1 ○	2 ○	3 ○	4 ○	5 ○
c. Joint replacement	1 ○	2 ○	3 ○	4 ○	5 ○
d. Laminectomy	1 ○	2 ○	3 ○	4 ○	5 ○
e. Osteoporosis	1 ○	2 ○	3 ○	4 ○	5 ○
f. Osteomyelitis	1 ○	2 ○	3 ○	4 ○	5 ○
g. Pinned fractures	1 ○	2 ○	3 ○	4 ○	5 ○
h. Rheumatic/arthritis disease	1 ○	2 ○	3 ○	4 ○	5 ○
i. Total hip replacement	1 ○	2 ○	3 ○	4 ○	5 ○
j. Total knee replacement	1 ○	2 ○	3 ○	4 ○	5 ○
k. Prosthesis	1 ○	2 ○	3 ○	4 ○	5 ○

X. ENDOCRINE

1. Assessment

a. S/S of diabetic coma	1 ○	2 ○	3 ○	4 ○	5 ○
b. S/S of insulin reaction	1 ○	2 ○	3 ○	4 ○	5 ○

2. Procedures

a. Blood glucose monitoring	1 ○	2 ○	3 ○	4 ○	5 ○
b. Indwelling insulin pump	1 ○	2 ○	3 ○	4 ○	5 ○

3. Care of patients with:

a. Diabetes	1 ○	2 ○	3 ○	4 ○	5 ○
b. Diabetic complications	1 ○	2 ○	3 ○	4 ○	5 ○
c. Addison's disease	1 ○	2 ○	3 ○	4 ○	5 ○
d. Diabetes insipidus	1 ○	2 ○	3 ○	4 ○	5 ○
e. Hyperthyroidism (Grave's)	1 ○	2 ○	3 ○	4 ○	5 ○
f. Hypothyroidism	1 ○	2 ○	3 ○	4 ○	5 ○
g. Thyroidectomy	1 ○	2 ○	3 ○	4 ○	5 ○
h. Pancreatic Cancer	1 ○	2 ○	3 ○	4 ○	5 ○
i. Liver disease/failure	1 ○	2 ○	3 ○	4 ○	5 ○

XI. ONCOLOGY

1. Assessment

a. Nutritional status	1 ○	2 ○	3 ○	4 ○	5 ○
b. Pain control	1 ○	2 ○	3 ○	4 ○	5 ○

2. Lab Results

a. Blood chemistry	1 ○	2 ○	3 ○	4 ○	5 ○
b. Blood counts	1 ○	2 ○	3 ○	4 ○	5 ○

3. Care of patient with:
- a. Anemia 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - b. Bone marrow 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - c. Immunocompromised condition 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - d. Inpatient hospice 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - e. Leukemia 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - f. Radiation therapy 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - g. Radium implant 1 ○ 2 ○ 3 ○ 4 ○ 5 ○

XII. WOUND CARE

1. Assessment
- a. Breakdown 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - b. Stasis ulcers 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - c. Surgical wound healing 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
2. Procedures
- a. Debridement 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - b. Irrigation 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - c. Sterile dressing changes 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - d. Patient teaching 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
3. Care of patients with:
- a. Burns 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - b. Pressure sores 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - c. Staged decubitus ulcers 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - d. Surgical wounds with drains 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
 - e. Traumatic wounds 1 ○ 2 ○ 3 ○ 4 ○ 5 ○

XIII. ADDITIONAL SKILLS

- a. Post mortem care 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- b. Staple/Suture removal 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- c. Application of restraints 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- d. AIDS care 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- e. Sickle cell disease care 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- f. Bedside computer charting 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- g. Care Plans 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- h. Charge 1 ○ 2 ○ 3 ○ 4 ○ 5 ○
- i. Delegation 1 ○ 2 ○ 3 ○ 4 ○ 5 ○

- | | | | | | |
|----------------------------------|---|---|---|---|---|
| j. Nursing diagnosis | 1 | 2 | 3 | 4 | 5 |
| k. Flow sheet documentation | 1 | 2 | 3 | 4 | 5 |
| l. Narrative notes documentation | 1 | 2 | 3 | 4 | 5 |

AGE SPECIFIC CRITERIA

Please indicate by circling each age group for which you have expertise in providing age-appropriate nursing care.

- A. Newborn/Neonate (birth – 30 days)
- B. Infant (30 days – 1 year)
- C. Toddler (1 – 3 years)
- D. Preschooler (3 – 5 years)
- E. School age children (5 – 12 years)
- F. Adolescents (12 – 18 years)
- G. Young Adults (18 – 39 years)
- H. Middle adults (39 – 64 years)
- I. Older adults (64 + years)

Able to adapt care to incorporate normal growth and development:
Please circle if you have experience in the following:

- A. Newborn/Neonate (birth – 30 days)
- B. Infant (30 days – 1 year)
- C. Toddler (1 – 3 years)
- D. Preschooler (3 – 5 years)
- E. School age children (5 – 12 years)
- F. Adolescents (12 – 18 years)
- G. Young Adults (18 – 39 years)
- H. Middle adults (39 – 64 years)
- I. Older adults (64 + years)

Able to adapt method/terminology of patient instruction to comprehension:
Please circle if you have experience in the following:

- A. Newborn/Neonate (birth – 30 days)
- B. Infant (30 days – 1 year)
- C. Toddler (1 – 3 years)
- D. Preschooler (3 – 5 years)
- E. School age children (5 – 12 years)
- F. Adolescents (12 – 18 years)
- G. Young Adults (18 – 39 years)
- H. Middle adults (39 – 64 years)
- I. Older adults (64 + years)

Can ensure a safe environment reflecting the special needs of various age groups:

- A. Newborn/Neonate (birth – 30 days)
- B. Infant (30 days – 1 year)
- C. Toddler (1 – 3 years)
- D. Preschooler (3 – 5 years)
- E. School age children (5 – 12 years)
- F. Adolescents (12 – 18 years)
- G. Young Adults (18 – 39 years)
- H. Middle adults (39 – 64 years)
- I. Older adults (64 + years)

Please read and agree to the statements below by signing and dating the bottom

I attest that the information and statements made in this checklist are true and accurate to the best of my knowledge. I am the individual completing this form. I understand that any falsification will be the basis for disqualification of employment. I authorize Signature Healthcare to verify the information I have provided and to contact past employers and references concerning my ability, character and employment record. I release all such persons from liability for furnishing said information. I hereby authorize Signature Healthcare to release this Medical/Surgical Skills Checklist to client facilities in relation to consideration of employment as a Traveler, Contract or Per-diem worker with those facilities.

Signature

Date



3815 NW 109th Street Suite B
Urbandale, IA 50322
Human Resources Department
Christi J. Hokel, RN, BSN

Phone: 515.252.0000 or 1.800.518.1460

Fax us at:
515.276.5506